



ELECTRIC INFLATORS, PUMPS AND ACCESSORIES FOR INFLATABLE BOATS, KAYAKS AND SUP BOARDS



index

BRAVO FOOT PUMPS
BRAVO UPRIGHT PUMPS
BRAVO DC ELECTRIC INFLATORS8
BRAVO AC ELECTRIC INFLATORS
OARS, SUP PADDLES, KAYAK PADDLES
BRAVO OARS17
BRAVO OARLOCKS AND OARLOCK BASES 19
BRAVO PRESSURE GAUGES20
BRAVO ADAPTERS AND REPLACEMENT PARTS21
BRAVO VALVES AND ACCESSORIES23
ACCESSORIES, SPARE PARTS, GLUE KITS24



BRAVO 5

Item: **BRAVO 5** Part number: 6070005 Air flow: 5 L Max pressure: 5.8 psi **Dimensions:** 28 x 20 x 6cm Weight: 0.65 kg Suitable for: Inflatable boats, life rafts, kayaks,







BRAVO 7

Item:	BRAVO 7
Part number:	6070007
Air flow:	5 L
Max pressure:	5.8 psi
Dimensions:	28 x 21 x 8cm
Weight:	0.65 kg
Suitable for:	Inflatable boats, life rafts, kayaks,
	inflatable toys



BRAVO 8

Item:	BRAVO 8
Part number:	6070008
Air flow:	6.5 L
Max pressure:	4.4 psi
Dimensions:	32 x 23 x 7cm
Weight:	0.75 kg
Suitable for:	Inflatable boats, life rafts, kayaks,
	inflatable toys



BRAVO 9

- High efficiency high pressure up to 14.5 psi
- Dual chamber for use on tubes and high pressure floors

Item:	BRAVO 9
Part number:	6070009
Air flow:	6.55 L
Max pressure:	14.4 psi
Dimensions:	32 x 23 x 7cm
Weight:	0.65 kg
Suitable for:	Inflatable boats, life rafts, kayaks,
	inflatable toys





BRAVO 7M

• Built-in gauge meter to allow the instant reading of the pressure

 Item:
 BRAVO 7M

 Part number:
 6070017

 Air flow:
 5 L

Max pressure: 5.8 psi

Dimensions: 28 x 21 x 8cm

Weight: 0.65 kg

Suitable for: Inflatable boats, life rafts, kayaks,

inflatable toys



BRAVO 8M

 Built-in gauge meter to allow the instant reading of the pressure

 Item:
 BRAVO 8M

 Part number:
 6070018

 Air flow:
 6.5 L

 Max pressure:
 5.8 psi

 Dimensions:
 32 x 23 x 7cm

 Weight:
 0.75 kg

Suitable for: Inflatable boats, life rafts, kayaks,

inflatable toys







BRAVO 4 ALU R.E.D

- Reduced energy pump
- Dual action hand pump
- Anti sand cover gasket
- · Inflates and deflates

Item:	Bravo 4 ALU R.E.D
Part number:	6120050
Max pressure:	11.6 psi
Dimensions:	11 x 22 x 47cm
Weight:	0.75 kg
Suitable for:	Inflatable boats, kayaks



SUP 4 PUMP

- 2 x 2L capacity
- Durable aluminum shaft
- Single and dual action operation
- Pressure gauge included
- Anti sand cover gasket

Item:	BRAVO 8M
Part number:	6120340
Air flow:	6.5 L
Max pressure:	29 psi

Suitable for: Stand Up Paddle Boards



SUP 4D PUMP

- 2 x 2L capacity
- Durable Aluminum Shaft
- Single and Dual action operation
- Inflate and Deflate
- Pressure Gauge included
- Anti sand cover gasket

Item:	SUP 4D Pump
Part number:	6120346
Air flow:	6.5 L
Max pressure:	29 psi
Suitable for:	Stand Up Paddle Boards









BRAVO 100

- Single and double action upright pump
- High efficiency
- Built-in pressure gauge
- Inflate only

Item:	Bravo 4 ALU R.E.D
Part number:	6120500
Airflow:	2 x 2 L
Max pressure:	27.5 psi
Dimensions:	14 x 30 x 65cm
Construction	ABS and Aluminum
Suitable for:	Stand Up Paddle Boards



BRAVO 101

- Single and double action upright pump
- High efficiency
- Built-in pressure gauge
- Inflate only

Item:	BRAVO 101
Part number:	6120600
Airflow:	2 x 1.5 L
Max pressure:	27.5 psi
Dimensions:	14 x 30 x 57cm
Construction	ABS and Aluminum
Suitable for:	Stand Up Paddle Boards, Kite,
	boats . Kavaks . all inflatables



BRAVO JUMBO

- Single action upright pump
- Inflate and deflate
- 2m PVC hose

Bravo Jumbo
6120010
400 liters / min
4.4 psi
70 x 12cm
PVC





BP12

- Automatic Stop at selected pressure
- Single stage inflator
- · Complete with fittings for boats and kites
- · Complete with shoulder bag
- 1.7m hose and 3m power cable

BP 12 Item: Part number: 6130037 Air flow: 160 L / min Max pressure: 14.5 psi **Current:** 20 A Max **Option:** Inflate / Deflate DC 12v Power:

Dimensions: 20.5cm x 10.5cm x 13cm

Construction: ABS + PA

Weight: 1.2kg

Suitable for: Rubber Boats, Kite Boards, SUP



BTP 12 MANOMETER

- Automatic Stop at selected pressure
- Two stage inflator
- · Equipped with air suction filter, easily accessible for cleaning and or replacement
- Complete with fittings for boats and kites
- · Complete with shoulder bag
- 1.7m hose and 3m power cable

Item: BTP 12 Manometer

Part number: 6130038

Air flow: 160 L / min / 450 L /min

Max pressure: 13.8 psi **Current:** 20 A Max **Option:** Inflate / Deflate

Power: DC 12v

Dimensions: 20.5cm x 10.5cm x 13cm

ABS + PA Construction: Weight: 1.7kg

Suitable for: Rubber Boats, Kite Boards, SUP







BTP 12 DIGITAL

- · Digital setting of stop pressure
- Automatic Stop at selected pressure
- Equipped with air suction filter, easily accessible for cleaning and or replacement
- Complete with fittings for boats and kites
- 1.7m hose and 3m power cable

Two stage inflator

 Complete with shoulder bag

Stop button





BP12 SUP

- · High efficiency, high pressure electric inflator suitable for SUP Boards, kayaks, kites and tents
- Quick fitting connection of hose and pump
- Reinforced hose for trouble-free operation in high temperatures and high pressure operation

BP 12 SUP Item: Part number: 6130061 Air flow: 160I / min Max pressure: 22 psi **Option:** Inflate / Deflate Power: DC 12v alligator clips **Dimensions:** 20cm x 10cm x 13cm Construction: ABS + PA Weight: 2.1 kg Suitable for: Stand Up Paddle Boards



BATTERY KIT

- Plug in connection to all BTP and BP models
- Easy connection with simple charging plug
- Fits into BTP and BP bags
- Battery charger 120v / 230v

Part number: 6130042

> Pb 400 cycles, 20 minutes run time

Part number: 6130041

> NI-MH battery allows 800 charging cycles, 40 minutes run time

> (2 x more than lead acid batteries)





BRAVO 20 12V ELECTRIC PUMP WITH BATTERY

- Portable electric inflator, high efficient and low noise
- Pumping unit dual piston, no relay or micro switch
- Built in pressure gauge and automatic shutdown
- Quick electrical connection, LED battery indicator
- Integrated 12v dc battery, rechargeable
- Equipped with terminal for direct power supply from external 12v batteries
- Baa included

2 4 9 11 10 14 4 4	
Item:	Bravo 20
Part number:	6130700
Air flow:	1125I / min
Max pressure:	22.0 psi
Current:	9 A Max
Option:	Inflate / Deflate
Power:	DC 12v charge in vehicle or from
	external battery
Dimensions:	(in bag) 22cm x 32cm x 22cm
Construction:	ABS + PA
Weight:	3.5 kg
Suitable for:	Boats, SUP, Kites Kayaks,
	all inflatables



BRAVO TURBO MAX

- 12 or 24v inflator capable of inflating raft within minutes
- Adjustable pressure with automatic stop
- Equipped with 2 powerful motors on bearings mounted on aluminum plate to dissipate heat

Item:	Bravo Turbo Max
Part number:	12v - 6130022
	24v - 6130023
Air flow:	1000 L / min
Max pressure:	3.6 psi
Current:	12v - 45-60 A
	24v - 25-30 A Max
Option:	Inflate / Deflate
Power:	DC 12v / DC 24v
Dimensions:	(in bag) 31cm x 18cm x 19cm
Construction:	ABS + PA
Weight:	3.5 kg
Suitable for:	Rigid inflatable Boats, Inflatable
	Structures



BST TUBING

Item:	BST Tubing
Part number:	3721015
Material:	EPDM
Size:	25m





BRAVO TURBO MAX KIT

- Kit version for console mounting
- Installation screws, brackets and inflation connectors are supplied
- Power cable is 0.5m long and has a 100 amp connector
- The tube is supplied as an option, 25m reel is part no 3721015

Item: Bravo Turbo Max Kit Console Mount

Part number: 12v - 6130021

24v - 6130036

Air flow: 1000 L / min

Max pressure: 3.6 psi

Current: 12v - 45-60 A

24v - 25-30 A Max

Option: Inflate / Deflate Power: DC 12v / DC 24v **Dimensions:** 31cm x 18cm x 19cm

ABS + PA Construction: Weight: 3.5 kg


Suitable for: Rigid inflatable Boats, Inflatables



BRAVO MB50/12C

- 12v electric inflator and deflator
- 400 L / min capacity

Item:	MB50/12C
Part number:	6130004
Air flow:	400 L / min
Max pressure:	0.6 psi
Option:	Inflate / Deflate
_	D 0 10





BRAVO MB80/12C

- 12v electric inflator and deflator
- 700 L / min capacity

Item:	MB80/12C			
Part number:	6130008			
Air flow:	700 L min			
Max pressure:	1.2 psi			
Option:	Inflate / Deflate			

DC 12v Power:





BRAVO OV6 120V

130255
500 L / min
5 psi
flate / Deflate
20v 600w
5cm x 16cm x 17cm
BS + PA
3 kg



BRAVO OV10 120V

Item:	Bravo OV10 120V
Part number:	6130265
Air flow:	1700 L / min
Max pressure:	3.6 psi
Power:	120v 1000W
Dimensions:	15cm x 16cm x 17cm
Construction:	ABS + PA
Weight:	1.7 kg



BRAVO 120/500 120V

Item:	Bravo 120/500				
Part number:	6130035				
Air flow:	800 L / min				
Max pressure:	2.7 psi				
Current:	20 A Max				
Option:	Inflate / Deflate				
Power:	AC 120v				
Dimensions:	16cm x 24cm x 13cm				
Construction:	ABS + PA				
Weight:	2.3 kg				





BRAVO 120/2000

Bravo 2000 consists of a main motor and a supplementary (booster) motor which increases the capacity and pressure. Press the orange button to just run the main motor, you can then press the red button to switch on the booster to obtain maximum performance. Both motors are protected by thermal breakers.

Item: Bravo 120/2000

Part number: 6130320

Air flow: Main motor: 1800 L min

Booster motor: 2500 L min

 Max pressure:
 3.3 psi / 7.3 psi

 Option:
 Inflate / Deflate

 Power:
 120v 1000w / 2000w

 Dimensions:
 32cm x 17cm x 26cm

Weight: 4.1 kg







BRAVO XT ALU KAYAK PADDLE

Item:

Bravo XT ALU Kayak Paddle

6274230

Features:


Aluminum shaft 40% fiberglass
blade, paddle floats and has
drip rings

Material:

Aluminum Alloy 6005T5 shaft /
polypropylene and fiberglass
blade

Size:

KWB Blade



BRAVO XT FIBER KAYAK PADDLE

XT Blade

XT Blade

Item: Bravo XT Fiber Kayak Paddle Part number: 6276265 **Features:** Special handle system allowing for consistent paddle angle. Grips handle in shrinkable polyolefin, paddle floats and has drip rings **Material:** Fiberglass shaft, extra strong polypropylene and fiberglass blade Size: 225cm KWB Blade







BRAVO KWB & XT ADJUSTABLE ALUMINUM SHAFT

Item: Kayak Paddle Aluminum Shaft Part number: 6277116 - with KWB blade 6274107 - with XT blade Features: Adjustable length from 210 to 240cm with locking system. Special handle system allowing to know, anytime, the paddle angle. Grips handle in shrinkable polyolefin, paddle floats and has drip rings

> Aluminum shaft, extra strong polypropylene and fiberglass

blade

Material:

Size: Adjustable from 210 to 240 cm



BRAVO KWB & XT ADJUSTABLE FIBERGLASS SHAFT

Item: Kayak Paddle Fibreglass Shaft Part number: 627719 - with KWB Blade 6276106 - with XT Blade Features: Adjustable length from 210 to 240cm with locking system. Special handle system allowing to know, anytime, the paddle angle. Grips handle in shrinkable polyolefin, paddle floats and has drip rings Material: Fiberglass shaft, extra strong polypropylene and fiberglass blade Size: Adjustable from 210 to 240 cm



BRAVO ADJUSTABLE CARBON FIBRE SHAFT

Item: Kayak Paddle Carbon Fibre Shaft Part number: 6277230 - with KWB Blade Features: Adjustable length from 200 to 230cm with locking system. Special handle system allowing for consistent paddle angle. Grips handle in shrinkable polyolefin, paddle floats and has drip rings **Material:** Carbon Fibre shaft, extra strong polypropylene and fiberglass blade



Adjustable from 200 to 230 cm

Size:



SUP BOARD PADDLE ALUMINUM LEVER LOCK

Item: SUP Board Paddle Aluminum Part number: 6230270 Features: New design adjustable with fast lever lock system, avoids the wobbling of pin lock paddles. 10 degree incline blade for efficiency and speed. 3 pieces used for adult sizes 175 to 215 cm in length and 2 pieces used for children 110 to 145cm in length Material: Aluminum shaft, strong polypropylene and fiberglass blade Size: **Adjustable**



SUP BOARD PADDLE FIBREGLASS LEVER LOCK

Item:	SUP Board Paddle Fibreglass					
Part number:	6230271					
Features:	New design adjustable with fast lever lock system, avoids the wobbling of pin lock paddles. 10 degree incline blade for efficiency and speed. 3 pieces used for adult sizes 175 to 215 cm in length and 2 pieces used for children 110 to 145cm in length					
Material:	Fiberglass shaft, strong polypropylene and fiberglass blade					
Size:	Adjustable					



SUP BOARD PADDLE CARBON FIBRE LEVER LOCK

Item:	SUP Board Paddle Carbon Fibre
Part number:	6230268
Features:	New design adjustable with fast lever lock system, avoids the wobbling of pin lock paddles. 10 degree incline blade for efficiency and speed. 3 pieces used for adult sizes 175 to 215 cm in length and 2 pieces used for children 110 to 145cm in length
Material:	Carbon fibre shaft, strong polypropylene and fiberglass blade
Size:	Adjustable





BRAVO RSP-W SERIES

· Grey colour

Item: Bravo RSP-W Series Oar

Part number: RSP-130W 130cm - 6301713

> RSP-140W 140cm - 6301715 RSP-150W 150cm - 6301717 RSP-160W 160cm - 6301719

Shaft Diameter: 32mm Wall thickness: 1mm



BRAVO AP SERIES

· Grey colour

Bravo AP Series Oar Item:

AP-160 160cm - 6301101 Part number:

AP-180 180cm - 6301201 AP-200 200cm - 6301301

Shaft Diameter: 35mm Wall thickness: 1mm



BRAVO RSP-Z SERIES

· Grey colour

Item: Bravo RSP-Z Series Oar

Part number: RSP-130Z 130cm - 6301462

> RSP-140Z 140cm - 6301471 RSP-150Z 150cm - 6301481 RSP-160Z 160cm - 6301491

Shaft Diameter: 35mm Wall thickness: 1mm



BRAVO RSP-ZK SERIES

· Grey colour

Item: Bravo RSP-ZK Series Oar

Part number: RSP-150ZK 150cm - 6301483

RSP-160ZK 160cm - 6301493 **Shaft Diameter:** 35mm

Wall thickness: 1mm





BRAVO RSP SERIES

· Grey colour

Item: Bravo RSP Series Oar Part number: RSP-160 160cm - 6301501

> RSP-180 180cm - 6301601 RSP-200 200cm - 6301701

Shaft Diameter: 35mm Wall thickness: 1mm



BRAVO TELESCOPIC OAR

• Telescoping aluminum oar

· Grey colour

• TSP 110/155

Bravo Telescopic Oar Item:


Part number: 6293101

A+B+C = 158cmLength:

A+B = 118cm

Disassembled = 64cm

Shaft Diameter: 35mm Wall thickness: 1mm



TELESCOPING PADDLE

• TPS 50/120

Item: Telescoping Paddle Part number: 6293103 - Grey

6293104 - Black

Length: A = 50cm

B = 120cm

Shaft Diameter: 24/28mm Wall thickness: 1mm



28mm diameter shaft









OARLOCK BASE WITH 10MM PIN AND CAP

• 10mm pin, grey PVC, suits RSP-ZK oars

Oarlock Base 10mm pin & cap Item:

Part number: A051451 - model 145-090

A051461 - model 145-180



OARLOCK BASE

• Grey PVC, suits BH oarlock

Oarlock Base - model 142-180 Item:

Part number: A051520



FIXED OARLOCK BASE

• 150 x 220 x 30mm H, black, grey, PVC or MPR

Fixed Oarlock Base

Part number: A051117 - Black PVC - model 117

A059117 - Grey PVC - model 117





OARLOCK BASE

• Grey PVC, suits BH oarlock

Oarlock Base - model 120F Item:

Part number: A059133



NBR HANDLE

• Art 331, 90 x 245 x 47mm H

Item: **NBR** Handle

Part number: A939332 - Black rubber

A939405 - Grey rubber



CLEAT

• Grey PVC

Cleat - model 535 Item:

Part number: A401536



ADJUSTABLE OARLOCK

• Adjustable oarlock for 35mm diameter oars

Item: Adjustable Oarlock - model BH


S241146 - Black Part number:

S241176 - Grev

\$241149 - Black Fixed B1H1 \$241147 - Grey Fixed B1H1









DIGITAL PRESSURE GAUGE SP150

- 9V battery
- Waterproof IP65

Digital Pressure Gauge SP150 Item:

Part number: R551088 **Pressure** to 14.5 psi



REPLACEMENT GAUGE ONLY SP98

Replacement Gauge SP98 Item:

Part number: R201099 - 8.0 psi R201098 - 14.5 psi



PRESSURE GAUGE SP90

• Fits upright pumps

Item: Pressure Gauge SP90 Part number: R551093 14.7 psi - SP90B Bravo 4 RED Part number: R551098 14.7 psi - SP90S Bravo 4 ALU Part number: R551097 21 psi - SP90SUP Bravo SUP





PRESSURE GAUGE SP119

• Fits HR, Bravo 2001, 2004, 2005 valves

Item: Pressure Gauge SP19 Part number: R151092 - 8.0 psi

> R151090 - 14.7 psi R151102 - 29.0 psi



PRESSURE GAUGE SP125 WITH ADAPTORS

Pressure Gauge SP19 Item:

Part number: R551094 - 8.0 psi

R551091 - 14.7 psi













SP118 HOSE TO VALVE ADAPTOR

- · Hose to valve adaptor with barb
- Suits Bravo 2001, 2004, HR and other valves

Art 718 Hose to Valve Adaptor

Part number: S241097




SP138 UNIVERSAL HOSE TO VALVE ADAPTOR

- Universal hose to valve adaptor fitting
- Suits Bravo 2001, 2004, 2005, HR and other valves

Item: Art 718 ADJ Universal Adaptor

Part number: S241202





SP120 HOSE TO VALVE ADAPTOR

- Hose to valve adaptor
- Suits Bravo 2000 valve

Art 734 Hose to Valve Adaptor Item:

Part number: R551120



BOSTON VALVE

Item: **Boston Valve** Part number: 6892009 - VA5/2



BRAVO 311

· Nylon support with NBR plug

Item: Bravo 311 Part number: A401311 - Black

A401312 - Grey



BRAVO SP103

NBR plug only

Item: Bravo SP103 Part number: R601076 - Black R601076G - Grey

R601076V - black flapper valve only



PUMP FITTINGS

• SP 46 suits Bravo 1, 2, 10 Footpumps

• **SP46C** suits Bravo 7, 8, 9 Footpumps

• SP216 Bayonette suits Turbomax pumps

Pump Fittings Part number: R151046 - SP46

> S241220 - SP46C R151032 - SP216









SP47 ADAPTER SET

· Suits manual pumps

SP47 Adapter Set Item:

Part number: R151047



SP712 ADAPTER SET

• Suits electric pumps

Item: SP712 Adapter Set

Part number: R151048



SP20 CLOSING CLIP

• Suits Bravo 7-10 footpump

Item: SP20 Closing Clip

Part number: R201020



HOSE AND FITTING KIT

- SP14 suits Bravo 1, 2, 10 Footpump
- SP25 suits Bravo 7, 8, 9 Footpump
- SP212B suits Bravo 4 Alu RED
- SP213 suits Bravo BST12 and BST 12HP
- **SP23** suits Bravo BP and BPT Pumps
- SP34 suits Bravo BP12 SUP Pump
- SP218 suits Bravo 20 Pumps

Hose and Fitting Kit Item: Part number: R151014 - SP14

> R151054 - SP25 R151020 - SP212B R151018 - SP213 R990023 - SP23 R990034 - SP34 R151035 - SP218



TRIPLE ADAPTER

• For 20 and 25mm hose

Item: Triple Adapter

Part number: R151015 - SP15 20mm Hose

R151016 - SP26 25mm Hose





SP136 KEY FOR VALVE

• Suits HR, Bravo 2000, 2001, 2004 and 2005

Item: SP136 Key for Valve

Part number: R601141




BRAVO 2000 INFLATION VALVE

- Standard grey colour
- Fully recessed and Black colour also available

Bravo 2000 Inflation Valve Item:

Part number: A102706





BRAVO 2005 / 2005A INFLATION VALVE

- Suitable for Tubes and Inflatable Floor
- High sealing capacity with special silicon gasket
- Very compact and has ergonomic cap
- Push-push principle opening
- Grey or Black colour
- Two prong or three prong cap
- Available in SUP Version rated to 29 psi

Inflation Valve Item: Standard with 3 Prong Cap 2005 Part number: A102800 - Black


A102801 - Grey Standard with 2 Prong Cap 2005/A

A102815 - Black Part number:

A102816 - Grey













2005 2005/A

SUPER VALVE 2016

- Multi-functional super valve, revolutionary design
- · Combines inflation, deflation and relief
- Open type: PUSH-TURN Dustproof cover

 When the inflation is completed, SUPER VALVE continues to protect the inflated products from

over-inflation/pressure rise by allowing air to discharge over pre-set pressure values (see table) and to guarantee its normal working pressure.



Item:	Super Valve 2016				
Part number:	See table				

Suitable for: Inflatable Kayak, boats, tents,

SUP boards

CODE	COLOR	OPENING			CLOSING		
		Pax 1000	mbar	psi	Pax 1000	mbar	psi
A131110	Red	20	200	2.9	15	150	2.17
A131120	Yellow	30	300	4.3	25	250	3.6
A131130	Green	40	400	5.8	35	350	5.1
A131140	Blue	55	550	8	41.3	413	6
A131150	Pink	103.4	1034	15	89.7	897	13
A131160	Gold	124.1	1241	18	110.3	1103	16
A131170	White _	131	1310	19	117.2	1172	17



ALUMINUM LADDER

• SG A2 anodized 2 step

Aluminum Ladder Item:

Part number: 6352000



HAULAGE ROLLER

Red PVC

Aluminum Ladder Item: Part number: 8703101 - Rul 2

Rul 2 - 47" L x 9.8" dia

8703102

Rul 3 - 46" L x 9.4" dia



GLUE AND PATCH KITS

- SP17 Professional glue for PVC glazed fabrics and synthetic rubber, 28g
- SP55 5g Glue Tube with PVC patch, 5g
- SP50 Kit with Boston Valve pump adapter, PVC patch and 5g glue tube

Item: Glue and Patch Kits Part number: R101017 - SP17

> R101055 - SP55 R101050 - SP50







PARTS FOR OARLOCKS

• Parts for Oarlocks models 142, 146

Item: Parts for Oarlocks

Part number: S241193-P - Pin and Socket, Grey

S241193-CT - Cap and Tether

\$241193-S - Shaft only







Pin and Socket

Cap and Tether

Shaft only



NORTH WEST MARINE DISTRIBUTORS

26940 26TH AVENUE ALDERGROVE B.C. CANADA V4W 4A4

T (604) 607-7901 F (604) 607-7902

E info@northwestmarine.ca W www.northwestmarine.ca