

SPECIAL CLEATS

A wide range of specialised glass filled nylon cleats designed for a variety of uses onboard



Stanchion cleat

Designed to fit stanchions or pushpit/pullpit tubes - fits in seconds and features soft nylon jaws that will not damage the tube.



Tubular cleats

Available in two sizes, these handy cleats have many uses where light loads are expected.

Photo No.		Part No.	Cleat material	Length (mm)	Weight (g)	Fastening Ø (mm)
Stanchion cleat						
1	Stanchion cleat	52100	Nylon	111	90	-
Shroud cleat						
2	Shroud cleat	52110	Nylon	100	26	-
3	Shroud cleat with eye	52111	Nylon	100	26	-
Open nylon cleat						
4	Open cleat	52140	Nylon	75	6	3
5	Open cleat	52141	Nylon	100	12	4
6	Open cleat	52142	Nylon	130	26	4
7	Open cleat	52143	Nylon	170	49	5
8	Open cleat	52144	Nylon	210	84	6
9	Open cleat	52145	Nylon	245	157	8
Stanchion bullseye						
10	Stanchion bullseve	60142	Nylon	Bullseve int. Ø 17mm		

*Stanchion Bullseye is suitable for line up to 12mm and fits to stanchions or pushpit/pullpit tubes

Photo No.		Part No.	Length (mm)	Fastenings Ø (mm)	Weight (g)	Bore (int Ø) (mm)
Tubular cleats						
11	Tube cleat	52120	55	4	4	8
12	Tube cleat	52121	80	6	13	13



Open (horn) cleats

Moulded from high strength black nylon, supplied in a variety of useful sizes.



Shroud cleats

Two handy cleats that simply clamp onto shroud wire (max 8mm Ø) without causing damage.

52110 is a plain cleat for flag halyards etc.

52111 features a wide eye opening for stowage of halyard shackles.

Stainless steel rubbing strakes

Stainless steel rubbing strakes, to help prevent rope wear to deck edges and coamings. Available in three lengths, these attractive strakes are easy to fit and will last a lifetime. Part numbers and sizing information is as follows:



Photo No.		Part No.
Stainless steel rubbing strakes		
13	203 x 19mm	67100
14	305 x 19mm	67101
15	457 x 19mm	67102

SHEAVES

Sheaves

A comprehensive range of plain and ball bearing sheaves as used throughout the complete Barton block range. Moulded from Acetal resin, our unique, super-low friction ball race system features Delrin balls running on a large diameter centre boss, which ensures an extremely low friction performance.



1 N64801




2 N64901



Sheaves also available in white

Photo No.		Part No.	Dia Ø 'D' (mm)	Height 'H' (mm)	Bore (mm)
Sheaves - plain bearing					
1	Plain bearing sheave	N64800	25	12	8
	Plain bearing sheave	N64801	30	12	8
	Plain bearing sheave	N64802	32	14	8
	Plain bearing sheave	N64803	32	17	11
	Plain bearing sheave	N64804	35	12	8
	Plain bearing sheave	N64805	35	18	13
	Plain bearing sheave	N64806	38	17	13
	Plain bearing sheave	N64807	44	18	13
	Plain bearing sheave	N64808	44	20	13
	Plain bearing sheave	N64809	45	11	8
	Plain bearing sheave	N64810	45	14	8
	Plain bearing sheave	N64811	48	20	13
	Plain bearing sheave	N64812	58	14	8
	Plain bearing sheave	N64813	58	17	11
	Plain bearing sheave	N64814	64	18	13
	Plain bearing sheave	N64815	72	18	13
	Plain bearing sheave	N64816	72	20	13

Photo No.		Part No.	Dia Ø 'D' (mm)	Height 'H' (mm)	Bore (mm)
Sheaves - ball bearing					
2	Ball bearing sheave	N64901	30	12	5
	Ball bearing sheave	N64902	32	14	5
	Ball bearing sheave	N64904	35	13	5
	Ball bearing sheave	N64906	38	18	6
	Ball bearing sheave	N64907	44	18	6
	Ball bearing sheave	N64908	44	20	6
	Ball bearing sheave	N64909	45	12	5
	Ball bearing sheave	N64910	45	14	5
	Ball bearing sheave	N64912	58	15	5
	Ball bearing sheave	N64913	58	18	6
	Ball bearing sheave	N64914	64	18	6
	Ball bearing sheave	N64915	72	18	6
	Ball bearing sheave	N64916	72	21	6



FUEL WHISTLE & EASY SPLICE

FUEL WHISTLE

A simple device to prevent accidental spillages when refuelling

This unique patented product has been designed to give an audible warning to prevent fuel spills during the refuelling of boats. This helps prevent marine pollution and ensures that your topsides and decks are kept free from spills.

- Eco friendly
- Simple to fit
- Protects the environment and your deck
- Suitable for sail and power boats
- Fitting instructions included
- Cost effective

1 60010




Photo No.	Size	Product No.
1	Fuel whistle	60010

EASY SPLICE

Sailors and Boat Owners are rediscovering the timeless art and skill of rope Splicing.

Splicing is the ability to terminate a rope or join two ends of a rope without using a knot. Barton's EasySplice is designed specifically to make this action simple, fast and precise.

A balanced and lightweight tool that enables faster and easier rope splicing.

- Simple to use - No experience required
- Lightweight design
- Balanced needle and head construction
- Hand tool and 4 needles included
- Splicing tool for up to 5mm line
- Different needle lengths available on request

2 62050

Photo No.	Product No.
2	Easy splice 62050

